

From: Greenbook <aginfo@farmjournal.com>
Sent: Wednesday, April 3, 2019 10:49 AM
To: larryheatherly@bellsouth.net
Subject: Your Complete Guide to Dicamba Application



GREENBOOK

YOUR CROP PROTECTION SOURCE

April 3, 2019 | [View in Browser](#)

Dicamba Products 2019

Engenia
Herbicide

[View Engenia Label](#)

FeXapan
Plus VaporGrip Technology
HERBICIDE

[View FeXapan Label](#)

XTENDIMAX
VaporGrip
HERBICIDE

[View XTendiMax Label](#)

TOP AGRONOMIC NEWS

[Get To Know Your Dicamba Options](#)



The dicamba approved for over-the-top use in soybeans and cotton isn't the Banvel or Clarity of old. Nor is it a generic product that could have a higher risk of drift and volatility. The "new" dicamba is marketed as three different branded products.

[Read More](#)

[Is Your Sprayer Equipped for Dicamba, 2,4-D Application?](#)



Herbicide residue has a way of hiding in hoses, some more so than others.

[Read More](#)


ADVERTISEMENT



How to Legally Apply Dicamba Products in 2019

SOYBEANS


Apply prior to beginning bloom or no more than 45 days after planting, whichever comes first.



Pre-emergence VE VC V1 V2 V3 R1

COTTON

Apply up to midbloom stage or no more than 60 days after planting, whichever comes first.



Certain dicamba products are in their third season of legal use for over-the-top application in soybeans. However, their legal use is dependent on applicator’s adherence to the regulations in place by EPA and individual states—are you following the law? Is your custom applicator?

Read More



Plant Protection Label Data

See the complete list of Greenbook crop protection labels and compare over 10,000 chemical product labels.

10 Valuable Links for Anyone Applying Dicamba



With pre-plant spraying season just around the corner for many, it's time to make sure you know the rules and regulations for applying certain pesticides.

Read More

ADVERTISEMENT

 **GREENBOOK**
YOUR CROP PROTECTION SOURCE

The Latest News in Crop Management Delivered Right to You!

Learn More Here


Powered by  LiveIntent

AdChoices 

Dicamba: Know Before You Apply

SOYBEANS


Apply prior to beginning bloom or no more than 45 days after planting, whichever comes first.



Pre-emergence VE VC V1 V2 V3 R1

COTTON

Apply up to midbloom stage or no more than 60 days after planting, whichever comes first.



This is the third season farmers have had access to certain dicamba products for in-crop application. EPA made federal label changes but remember your state might have additional requirements.

Read More

GREENBOOK EXTRA

AP

AgPro Weekly is the industry’s leading source for information on agronomic and business news delivered weekly .

Sign Up



Know someone who would enjoy this newsletter? Forward it to a friend!

Forward Now



[Subscribe](#) [Preferences/Unsubscribe](#) [About Us](#) [Contact Us](#) [Website](#)

© Farm Journal, Inc 2019
8725 Rosehill Road
Lenexa, KS, 66215



[Email Us](#) | [Privacy Policy](#)